



## Small machine with potential

HALLDE's Combi Cutter is a perfect compromise for the smaller kitchen. The CC-32S model are both a vegetable preparation machine and a vertical cutter in one machine. It's small and compact and easy to put away and take out when you need it.



## **Highest possible reliability**

The powerful motor is geared down and has a high torque, which makes the CC-32S exceptionally reliable – irrespective of the foods you are working with. If the motor is called on to work harder, more power is supplied to ensure even running.



The CC-32S has two speeds, one high (1.450 rpm) for the vertical cutter and one low (500 rpm) for the vegetable preparation.



The CC-32S is manufactured solely from hygiene certified material. The machine has smooth surfaces, rounded edges and has no unnecessary recesses where food might penetrate and get stuck. For rapid cleaning, all loose components are easy to remove making the machine easy to rinse. All loose parts can be washed in the dishwasher.



The machine base is manufactured of ABS-plastic and the machine house in aluminium. The feeder is strong polycarbonate and the bowl is stainless steel. Only top quality stainless knife steel is used to manufacture the cutters' knife blades.







## Vegetable cutter

When the pusher plate is folded up the machine stops for filling. When it is folded down the machine restarts and you can continue working. This automatic start and stop function makes your work more effective. A clear advantage, particularly when larger volumes are involved. The feeder has a feed tube for preparing long and narrow items like cucumber or leak.



If the feed cylinder is removed the power is cut. Thanks to this double security there is no risk of the machine starting with an unprotected knife.



## **Vertical Cutter/Blender**

The three litre bowl has a tightly sealing lid that allows for the preparation of larger volumes of both liquid and dry ingredients. The vertical cutter can be run at one speed, 1,450 rpm.

## **Smart functions**

The design and angle of the knives gives perfect results in quick time. The knives are serrated which makes them more wear resistant.



## **Cutting tools for all occasions**

Our wide range of large Ø185 mm cutting tools means the CC-32S can handle every conceivable task. It slices, grates/shreds everything from firm to soft products.











2-pack Cutting Tools Knife Guard Wall Rack Brush

# Top quality cutting tools for any cut and optimal results

## **CC-32S Cutting Tool Guide**



1, 1.5, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15 mm.

• Slices firm and soft products, such as root vegetables, onion, leek, cucumber, tomato, apple, citrus fruit, mushrooms, etc.



## **Crimping Slicer**

For ripple slicing of beetroot, cucumber, carrots, etc.

Shreds lettuce and cabbage.



2x2, 4x4, 6x6, 8x8, 10x10 mm.

**Julienne Cutter** 

Makes julienne potatoes and carrots for soups, cucumber for salads, etc.

Julienne potatoes to curved French fries.





Grates cheese for pizza and gratin.Shreds cabbage/white cabbage.

Grates carrots and cabbage for raw salad.
Grates nut, almonds and dry bread.

1.5, 2, 3, 4.5, 6, 8, 10 mm.

**Grater/Shredder** 



Extra Fine Grater grates radish, dry bread, etc.
 Hard Cheese Grater is perfect for cheese such as parmesan.



Grates root vegetables, dry bread, cheese etc.
Fine Grater grates raw potatoes for potato pancakes.

**Hard Cheese Grater** 

**Extra Fine Grater** 

Fine Grater

Our Cutting Tool Guide is available on the Internet. Go to hallde.com/toolguide to find more results, images and film clips of the processing.

## **CC-32S Vertical Cutter Results**



Aromatic butter

Soup

Onion



Almond



Dessert

Chocolate



Fish mousse



Dressing



Herb oil

Mayonnaise



Minced meat

Parsley















**Food Preparation Machines** Made in Sweden

## CC-32S Combi Cutter

- Superb combi machine that is both a vegetable preparation machine and vertical cutter in one machine.
- Large half-moon shaped feed cylinder that holds most ingredients whole.
- Easy to stack tomatoes, onions, peppers etc. to the cylinder wall enabling slicing in a predetermined direction.
- The table top model is easy to put away and take out when needed with its two sturdy handles at the sides.
- Two speeds; 500 rpm (vegetable preparation) and 1.450 rpm (vertical cutting).

## Machine

- Motor: 1000 W. Two speeds. 110-120 V, 1-phase, 50-60 Hz. 220-240 V, 1-phase, 50-60 Hz.
- Transmission: Toothed belt
- Safety system: Two safety switches.
- Degree of protection machine: IP34.
- Power supply socket: Earthed, 1-phase, 10 A.
- Fuse: 10 A, delayed action fuse.
- Sound level LpA (EN31201): Slicing 76 dBA, Chopping/blending 82 dBA.
- Magnetic field: Less than 0,1 microtesla.

## **Materials**

- Machine base: ABS-plastic Machine house: Aluminium.
- Feeder: Polycarbonate och polyamid. Ejectory plate: Acetal.
- Bowl: Stainless steel. Knife balk: Acetal. Lid: Polycarbonate.
- · Cutting tool disks: Stainless steel.
- Cutting tool knives and knife unit knives: Stainless steel.

## Volumes and dimensions

- Feed cylinder: Volume 0,9 liter. Height 185 mm. Diameter 170 mm.
- Feed tube inner diameter 53 mm.
- Bowl volume: Gross 3 liter. Net liquids 0.9 liter.

## **Cutting Tools**

- Cutting tool diameter: 185 mm. Knive unit diameter: 170 mm.
- Speed CC-32S: Vegetable Preparation 500 rpm. Vertical Cutter 1450 rpm.

## Type of preparation

- Slices, grates, makes julienne and crimping slices. Chops, grinds, blends and mixes.
- Processes fruit, vegetables, dry bread, cheese, nuts, mushrooms, etc.
- Prepares dressings, herb oils, aromatic butters, thickenings, mayonnaise, sauces, soupes, minced meats, purées, patées, etc.
- Prepares meat, fish, fruit, vegetable, nuts, cheese, mushroom, chocolate, etc.

## Users

• Restaurants, pizzerias, salad bars, schools, day care centers, fast food counters, etc.

## **Net weights**

- Machine base: 8.6 kg.
- Vegetable Preparation attachment: 1 kg
- Vertical cutter attachment: 1.4 kg
- Cutting Tools: 0.3 kg.

## **Standards**

- EN 1678, EN 12852 according to the directives 2006/42/EC, 2006/95/EC, 2004/108/EC.
- RoHS 2002/95/EC NSF/ANSI Standard 8.





250

405

250





• Phone: +46 8 587 730 00 • Fax: +46 8 587 730 30 • hallde.com • info@hallde.com

