No.: 9612/39

Manufacturer: according to rating plate and subject to brand (details see Attachment)
BSH Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany
Robert Bosch Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany
Constructa-Neff Vertriebs GmbH, Carl-Wery-Straße 34,81739 München, Germany
Gaggenau Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany
BSH Electrodomésticos España S.A., Calle Itaroa 1, 31620-HUARTE (Navarra), Spain
BSH ΟΙΚΙΑΚΕΣ ΣΥΣΚΕΥΕΣ Α.Β.Ε. 17ο ΧΜ ΤΗΣ ΕΘΝΙΚΗΣ ΟΔΟΥ ΑΘΗΝΩΝ –ΛΑΜΙΑΣ ΚΑΙ ΠΟΤΑΜΟΥ 20, 145 64 ΚΗΦΙΣΙΑ, ΕΛΛΑΔΑ
BSH Ev Aletleri Sanayi ve Ticaret A.Ş. Fatih Sultan Mehmet Mahallesi, Balkan Caddesi No:51, 34771 Ümraniye, İstanbul, Turkey
Zelmer Pro Sp. z o.o., ul. Hoffmanowej 19 35-016 Rzeszów, Poland

Authorized representative:

BSH Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Declares the appliance:

Hand blender,

Type: CNHR25

(Product description, Type)

Is conforming to the:

- **(EC) No 1935/2004 Regulation** of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- (EC) No 2023/2006 Commission Regulation of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- (EU) No 10/2011 Commission Regulation of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2014, 202/2014, 2015/174).
- **Guidelines on Metals and alloys used as food contact materials**, European Directorate for the Quality of Medicines & HealthCare (EDQM), Council of Europe, Strasbourg 2013.

Used materials also do not contain any dual use additives.

Below listed plastic material is used in this appliance:

- *PE PURELL 1840H, Declaration of Compliance No.: FCM-9609/46, date of issue: 29 February 2016
- *PE ELTEX PF 1315AA, Declaration of Compliance No.: FCM-9609/45, date of issue: 29 February 2016
- *POM HOSTAFORM C27021 NATUR, Declaration of Compliance No.: FCM-9609/59, date of issue: 29 February 2016
- *PP HF700SA, Declaration of Compliance No.: FCM-9609/71, date of issue: 29 February 2016
- *SAN LURAN 368R RAUCHTOPAS Q22, Declaration of Compliance No.: FCM-9609/108, date of issue: 29 February 2016
- *SAN KIBISAN PN-127 L150 H14913A2 GREY, Declaration of Compliance No.: FCM-9609/103, date of issue: 29 February 2016

The appliance is intended to become in contact with all kind of foodstuff, temperature up to 70°C, and exposition time up to 15 min.

Nazarje, 2016-03-23

Peter Eisermann (PCP-PD) Danilo Kraner (SI/TE-AP) Matjaž Purnat (FCPN-OM)

No. 9609/46

The

PE PURELL 1840H

Manufacturer: ALBIS PLASTIC GmbH

Authorized representative:

BSH Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts:

- (EC) No 1935/2004 Regulation of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- (EC) No 2023/2006 Commission Regulation of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- **(EU) No 10/2011 Commission Regulation** of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2014, 202/2014, 2015/174).

Specifications on the use of the material:

For all kind of foodstuff, temperature up to 70°C, and exposition time of 2 h, surface contact with volume of used simulants: 0,80 dm²/100 ml.

Declared substances from Commission Regulation No 10/2011:

- *2,6-di-tert-butyl-p-cresol (FCM 315, Ref.No.:0000128-37-0): SML = ND
- *Tert-butyl-4-hydroxyanisole (FCM 635, Ref.No.: 0025013-16-5): SML = 3 mg/kg

*Acrylamide (FCM 145, Ref.No.: 0000079-06-1): SML = 30 mg/kg

*2,2-bis(4-hydroxyphenyl) propane (FCM 151, Ref.No.: 0000080-05-7): SML = 0,6 mg/kg *Epichlorohydrin (FCM 219, Ref.No.: 0000106-89-8): SML = *ND (1 mg/kg in final product)

*Styrene (FCM 193, Ref.No.: 0000100-42-5): SML = /

- *Vinyl chloride (FCM 127, Ref.No.: 0000075-01-4): SML = ND
- Analytic results are given in the Statement of Compliance No.: 15/05044 issued by NLZOH Maribor, date: 29.6.2015.

• This material is used as single layer.

Nazarje, 29 February 2016

Mr.Sci. **Danilo Kraner** univ.dipl.ing. Head of Approval (SI/TE-AP) BSH Hausgeräte GmbH

No. 9609/45

The

PE ELTEX PF 1315AA

Manufacturer: INEOS O & P Europe

Authorized representative:

BSH Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts:

- (EC) No 1935/2004 Regulation of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- (EC) No 2023/2006 Commission Regulation of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- (EU) No 10/2011 Commission Regulation of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2014, 202/2014, 2015/174).

Specifications on the use of the material:

• For all kind of foodstuff, temperature up to 70°C, and exposition time of 2 h, surface contact with volume of used simulants: 0,80 dm²/100 ml.

Declared substances from Commission Regulation No 10/2011: *Hexene (FCM 365, Ref.No.: 0000592-41-6): SML = 3 mg/kg

- Analytic results are given in the Statement of Compliance No.: 15/02118 issued by NLZOH Maribor, date: 11.5.2015.
- This material is used as single layer.

Nazarje, 29 February 2016

Mr.Sci. Danilo Kraner univ dipl.ing. Head of Approval (SI/TE-AP) BSH Hausgeräte GmbH

No. 9609/59

The

POM HOSTAFORM C27021 NATUR

Manufacturer: Ticona GmbH

Authorized representative:

BSH Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts:

- **(EC) No 1935/2004 Regulation** of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- (EC) No 2023/2006 Commission Regulation of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- (EU) No 10/2011 Commission Regulation of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2014, 202/2014, 2015/174).

Specifications on the use of the material:

• For all kind of foodstuff, temperature up to 70°C, and exposition time of 2 h, surface contact with volume of used simulants: 0,80 dm²/100 ml.

Declared substances from Commission Regulation No 10/2011:

- *1,3-dioxolane (FCM 363, Ref.No.:0000646-06-0): SML = 5 mg/kg
- *Trioxaner (FCM 255, Ref.No.:0000110-88-3): SML = 5 mg/kg
- *Formaldehyde (FCM 98, Ref.No.:0000050-00-0): SML = 15 mg/kg
- *Triethyleneglycol bis[3-(3-tert-butyl-4-hydroxy-5-methylphenyl) propionate] (FCM 680, Ref.No.:*0036443-68-2): SML = 9 mg/kg
- *1-amino-3-aminomethyl-3,5,5-trimethylcyclohexane (FCM 454, Ref.No.:0002855-13-2): SML = 6 mg/kg
- Analytic results are given in the Statement of Compliance No.: 15/26594 issued by NLZOH Maribor, date: 23.12.2015.
- This material is used as single layer.

Nazarje, 29 February 2016

Mr.Sci. **Danilo Kraner** univ.dipl.ing. Head of Approval (SI/TE-AP)

No. 9609/71

The

PP HF700SA

Manufacturer: Borealis AG

Authorized representative:

BSH Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts:

- **(EC) No 1935/2004 Regulation** of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- (EC) No 2023/2006 Commission Regulation of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- (EU) No 10/2011 Commission Regulation of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2014, 202/2014, 2015/174).

Specifications on the use of the material:

• For all kind of foodstuff, temperature up to 100°C, and exposition time of 4 h, surface contact with volume of used simulants: 0,80 dm²/100 ml.

Declared substances from Commission Regulation No 10/2011: *Titanium dioxide (FCM 610, Ref.No.:0013463-67-7): SML = /

Analytic results are given in the Statement of Compliance No.: 13/08411 issued by NLZOH Maribor, date: 14.2.2014.
This material is used as single layer.

Nazarje, 29 February 2016

Mr.Sci. **Danilo Kraner** univ.dipl.ing. Head of Approval (SI/TE-AP)

No. 9609/108

The

SAN LURAN 368R RAUCHTOPAS Q22

Manufacturer: Styrolution Europe GmbH

Authorized representative:

BSH Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts:

- (EC) No 1935/2004 Regulation of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- (EC) No 2023/2006 Commission Regulation of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- (EU) No 10/2011 Commission Regulation of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2014, 202/2014, 2015/174).

Specifications on the use of the material:

• For all kind of foodstuff, temperature up to 70°C, and exposition time of 2 h, surface contact with volume of used simulants:

Declared substances from Commission Regulation No 10/2011:

*Acrylonitrile (FCM 225, Ref.No.: 0000107-13-1): SML = ND

*Barium (annex II): SML = 1 mg/kg food or food simulant.

- Analytic results are given in the Statement of Compliance No.: 13/08408 issued by NLZOH Maribor, date: .
- This material is used as single layer.

Nazarje, 29 February 2016

Mr.Sci. Danilo Kraner univ.dipl.ing. Head of Approval (SI/TE-AP)

No. 9609/103

The

SAN KIBISAN PN-127 L150 H14913A2 GREY

Manufacturer: CHI MEI CORPORATION

Authorized representative:

BSH Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts:

- **(EC) No 1935/2004 Regulation** of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- (EC) No 2023/2006 Commission Regulation of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- **(EU) No 10/2011 Commission Regulation** of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2014, 202/2014, 2015/174).

Specifications on the use of the material:

• For all kind of foodstuff, temperature up to 70°C, and exposition time of 2 h, surface contact with volume of used simulants: 0,8dm²/100ml.

Declared substances from Commission Regulation No 10/2011:

*Acrylonitrile (FCM 225, Ref.No.: 0000107-13-1): SML = ND

- Analytic results are given in the Statement of Compliance No.: 15/02114 issued by NLZOH Maribor, date: .
- This material is used as single layer.

Nazarje, 29 February 2016

Mr.Sci. **Danilo Kraner** univ.dipl:ing. Head of Approval (SI/TE-AP)